



PREMIER MARINE
ENTERTAINMENT



M A R I N E





When you choose products from JENSEN® Marine, you choose tradition, experience and style.

Enjoy life on the water with electronics that are Designed to Move You.

STEREOS



JMS3 - AM/FM/160 Watts/USB/Bluetooth®

- 160 watts (40W x 4)
- Bluetooth streaming audio (A2DP/AVRCP)
- Press and hold Bluetooth button for Quick Pairing in any mode
- Waterproof (IPX6)
- Weatherband/S.A.M.E.
- Rear USB input for MP3 enabled devices
- Rear AUX input (RCA)
- Line-out audio (RCA)
- Daylight-readable segmented LCD display and LED backlit buttons
- Electronic audio settings (Bass/Treble/Balance/Fader)
- Compact, self-contained design
- Simple user interface
- Conformal coated circuit boards
- UV resistant finishes/materials (ASTM D4329)
- Corrosion resistant materials (ASTM B117)
- FCC/CE certified
- AM/FM tuner



JMS4 - AM/FM/160 Watts/USB/iPod®/iPhone® Ready/Bluetooth

- 160 watts (40W x 4)
- Bluetooth streaming audio (A2DP/AVRCP)
- Waterproof (IPX6)
- Weatherband
- AM/FM tuner
- Rear USB input for MP3 enabled devices
- Rear AUX input (RCA)
- Rear Auxiliary Audio Output
- USB MP3/WMA Player
- Conformal coated circuit boards
- UV resistant finishes/materials (ASTM D4329)
- Corrosion resistant materials (ASTM B117)

STEREOS



ANTENNA



AN150SR - Amplified Stereo Antenna

- Mounts easily using adhesive foam strips
- Includes 7' cable
- Dimensions:
- 14.5"W x .875"H x .75"D

ACCESSORIES



JENAUX - USB Interface and 1/8" Auxiliary Input Jack

- USB port allows connection of an external storage device
- 1/8" AUX jack allows connection of any MP3 player or external audio device

SPEAKERS

MS5006B/W - 5.25" Dual Cone Speakers

- 30 watts max
- Available in black or white



MS6007W/B/S - 6.5" Coaxial Speaker

- 60 watts max
- Available in white, black or silver





SPEAKERS

MSX60B-6.5" High-Performance Coaxial Speaker

- 75 watts max
- Matte black grille



MSX60RV - 6.5" Coaxial Speaker

- 75 watts max



MSX65S/W-6.5" High-Performance Coaxial Speaker

- 75 watts max
- Available in white or silver



AMPLIFIERS



POWER 760 - 760 Watt Amplifier

- Four channels
- MOSFET power supply
- Variable bass EQ (0 - 12dB @ 45Hz)
- Built-in protection circuit to safeguard against short circuits



JMPSW800 - 8" Amplified Subwoofer


- 200 watts max handling power
- 12VDC power system
- Built-in amplification
- Black anodized, all-aluminum enclosure
- Mate-in-lock connectors for easy installation
- Adjustable gain and crossover
- Low (line) level inputs
- Frequency: 60Hz - 200Hz
- Vertical and horizontal mounting provisions

SUBWOOFER & ACCESSORIES



MSW10 - 10" Marine Subwoofer

- 500 watts max handling power
- Sealed housing design
- Designed for free air (infinite baffle) enclosures
- Nickel-plated copper terminals and insulated tinsel leads
- UV resistant finishes/materials (ASTM D4329)
- Corrosion resistant finishes/materials (ASTM B117)
- 9" mounting hole
- 4.8" mounting depth



Compatible Grilles for MSW10 Subwoofer

- RG10SB Black Sport Grille
- RG10SS Silver Sport Grille
- RG10HW White Hybrid Grille



polk
ULTRAMARINE
CERTIFIED

polk
ULTRAMARINE
CERTIFIED

Polk Ultramarine app controls all of the primary functions of App Ready Polk stereos directly from a phone or tablet. It can be downloaded from the App Store on iTunes for Apple devices, or the Google Play Store for Android devices, and found by search "Polk Ultramarine".

STEREOS

App Ready

SiriusXM
READY

Bluetooth

Made for
iPod iPhone



P2 - UMC1RTL

- Two-piece modular design (hideaway module PA4ATAB and commander)
- 2.8" color TFT display viewable in direct sunlight
- 200 WATTS (50 X 4) max power
- App Ready - All main functions can be controlled by any Bluetooth - enabled device with Polk Ultramarine app
- Seven-channel NOAA weatherband
- Rotary encoder for volume control and menu-driven user interface
- Conformal coated PCB
- IPX5 waterproof design
- UV resistant (ASTM D4329)
- Corrosion resistant (ASTM D1141)
- Dimensions: 5.4" W x 3.75" H x 1.7" D

Polk Ultramarine is bringing the ultimate in studio quality sound to your boat.


Sophisticated style and high-performance audio come together in a fully matched sound system.

Embrace your

Sophisticated Madness™

Embrace your sophisticated madness with Polk Ultramarine. We believe your boat should reflect who you are: refined with a wild side. Polk Ultramarine specializes in stylish, high performance audio that takes your boat to the next level. Our feature-rich modular source units are designed to save space while maximizing functionality and our speakers deliver premium quality sound at top volume. All our products are built with waterproof, UV, and corrosion resistant materials to withstand life on the water. With Polk Ultramarine, you can keep the party going all day long.

STEREOS



P1 - AM/FM/200 Watts/App Ready/SiriusXM-Ready™/iPod®/iPhone® Ready/Bluetooth®/USB

- 4.3" color TFT display commander
- 200 watts maximum power handling (26W x 4)
- Two-piece modular design (commander and hideaway module)
- Waterproof commander (IPX6) and module (IPX5)
- App Ready - All primary unit functions can be controlled by any iOS or Android-based mobile device with downloaded Polk Ultramarine app
- Made for iPod/iPhone (via Bluetooth)
- Bluetooth streaming audio (A2DP) and controls (AVRCP)
- SiriusXM-Ready™ (requires SXV300V1M tuner and subscription)
- EQ Presets (Flat, Rock, Pop, Classical, User Settings)
- USB 2.0 Playback for MP3 and WMA audio files
- Seven-channel NOAA weatherband tuner
- Station Presets: 18 FM, 12 AM, 18 SAT
- Auxiliary line-level audio input (RCA)
- Four-channel line-level audio output (RCA, front + rear)
- Silicone rubber protective cover
- Two-wire power system with non-volatile memory
- Wired remote control capable (PRC100BC, PRC200BC)
- Low battery warning
- Conformal coated circuit boards
- Corrosion resistant materials/finishes (ASTM D1141)
- UV resistant materials/finishes (ASTM D4329)
- Dimensions:
7.4" x 7.4" x 2.2" Tuner/Amp
6.4" x 4.5" Commander

Kit NMEA2000 Optional for Polk P1 / PA4A



SPEAKERS

DB652 - 6.5" Coaxial Speaker

- Dynamic Balance technology delivers signature quality sound
- Marine certified (IP55)
- Polypropylene and UV tolerant cone with waterproof surrounds
- Includes removable sport grilles
- 92 dB sensitivity (1 watt @ 1 meter)
- 40 Hz to 22kHz frequency response
- 100W Continuous power handling
- 300W Peak power handling
- Sold as a PAIR



UMS66W



UMS66S



Ultra Marine 6.6" Waterproof speaker. Available in White (UMS66W) or Smoke (UMS66S)

- 150 watts maximum power
- Corrosion and UV resistant
- Free air design
- Cast aluminum basket
- High temperature voice coil
- Snap-on grille installation option
- Silver cone
- Insulated tinsel leads
- Mica and polypropylene woofer
- Titanium dome tweeter
- 12.4 oz. magnet
- 4 Ohms nominal impedance
- 87.5 dB sensitivity
- 100 Hz - 20KHz frequency response
- 2.92-inch mounting depth

SPEAKERS

UMS77W

UMS77B

UMS77S



Ultra Marine 7.7" Waterproof speaker. Available in Black (UMS77B), Smoke (UMS77S), or White (UMS77W)

- 200 watts maximum power
- Corrosion and UV resistant
- Free air design
- Cast aluminum basket
- High temperature voice coil
- Snap-on grille installation option
- Silver cone
- Insulated tinsel leads
- Mica and polypropylene woofer
- Titanium dome tweeter
- 25.6 oz. magnet
- 4 Ohms nominal impedance
- 90.2 dB sensitivity
- 70 Hz - 20 KHz frequency response
- 3.03-inch mounting depth

UMS88W

UMS88B

UMS88S



Ultra Marine 8.8" Waterproof speaker. Available in Black (UMS88B), Smoke (UMS88S), or White (UMS88W)

- 250 watts maximum power
- Corrosion and UV resistant
- Free air design
- Cast aluminum basket
- High temperature voice coil
- Snap-n grille installation option
- Silver cone
- Insulated tinsel leads
- Mica and polypropylene woofer
- Titanium dome tweeter
- 40.3 oz. magnet
- 4 Ohms nominal impedance
- 89.4 dB sensitivity
- 50 Hz - 20KHz frequency response
- 4.06-inch mounting depth

SUBWOOFER

UMS108W

UMS108B

UMS108S




POLK Ultra Marine 10" Subwoofer RMS 350 - 700 Watts w/ XK Glow RGB Halo - White / Black / Dark Silver

- Air suspension technology to deliver 700 watts
- XKGlow LED Light Ring (Compatible with XKGlow Controller w/ App Support)
- High Temp Voice coil
- Snap On Grille Installation Option
- White Grille, Bridge, and Trim Ring

RGB LED LIGHT CONTROLLER FOR ALL POLK UMS SPEAKERS

XKCHROMEASA · Universal XKchrome Smartphone App Bluetooth Controller

Take control of your lighting with the XKChrome Universal Smartphone App Bluetooth controller! Combine this controller with any 12V RGB LED XKGLOW lighting system for app control of your color changing lights using the XKChrome app.



RGB CONTROLLER



AMPLIFIERS

Features on all amplifiers:

- MOSFET switching power
- Efficient Class-D bridgeable design
- Signal-to-noise ratio: 105dBA
- Distortion at rated power: <0.1%
- Filter slope: 12 dB octave
- Max sensitivity: 200 mV - 6V dB
- 12V and ground cable gauge: 4AWG
- Protection circuitry: thermal, DC offset, reverse polarity and short circuit
- Nickel-plated wire terminals and RCA connectors
- Stainless-steel hardware.



PA D1000.1 - Monoblock Power Amplifier
 • Dimensions: 1.81"H x 12.94"W x 6.75"D



PA D4000.4 - 4 channel Power Amplifier
 • Dimensions: 1.81"H x 10.94"W x 6.75"D



PA D5000.5 - 5 channel Power Amplifier
 • Dimensions: 1.81"H x 13.31"W x 6.75"D

REMOTE CONTROL



PRC200BC - Wired Remote Control

- Waterproof (IPX6)
- White backlit illumination
- Surface or rear flush mount
- Corrosion resistant materials/finishes (ASTM B117)
- UV resistant materials/finishes (ASTM D4329)



PRCEC18
 • 18 ft. extension cable for Polk wired remote controls



PRCYC1
 • "Y" cable can connect multiple Polk wired remote controls





C/ Alemanya 49 · Local nº 5 · Pol.Ind. Recinte Firal · 17600 Figueres · Girona · Spain
Tel: + 34 972 684 189 · info@marineaudio.eu · www.marineaudio.eu